

Intel[®] NUC 10 Performance

UNLEASH YOUR INNER CREATOR.

Experience the new size of powerful.







CREATE. CONSUME. REPEAT.

Featuring the power of 10th generation Intel® Core™ processors, the Intel® NUC 10 Performance has the power to create content as well as consume it. Record and mix music, add animation effects to your video edits, or over-binge your favorite shows in stunning ultra high-def 4K. Whatever it is, this Mini PC brings full-size PC performance at a size small enough to fit in the palm of your hand.

Available with a choice of hard drive configurations to meet your speed and storage needs, the NUC 10

Performance has the ports to connect every last peripheral and keep your data moving at top speed.

And with triple display support, you can multitask across multiple screens and give your brilliance room to spread out.

Intel® NUC 10 Performance: A Workhorse for a Range of Needs







FEATURES

- 10th generation Intel® Core™ processors
- HDMI* 2.0
- Thunderbolt[™] 3
- Support for three 4K displays⁴
- Four USB 3.1 ports
- Intel® WiFi 6
- Bluetooth*
- Intel® Gigabit LAN
- SDXC slot with UHS-II support
- 3-year limited warranty

USAGES

- Home theater
- Home office productivity
- Casual gaming

AVAILABLE SKUS

Intel® NUC Mini PC
Intel® NUC Kit







Built with 10th generation Intel® Core™ i7 processors



(intel)										
CORE i7	Ki	ts			Mini PCs					
10TH GEN	NUC10i7FNH	NUC10i7FNK	NUC10i7FNHA	NUC10i7FNHJA	NUC10i7FNKPA	NUC10i7FNHC	NUC10i7FNKP			
Processor				ation Intel® Core™ i7-10710 Turbo, 6 core, 12 thread, 1						
Graphics			Intel® U	HD Graphics, 300 MHz – 1.	15 GHz					
Memory	Dual-channel DD	R4 SODIMM slots	16 GB Dual-channel DDR4-2666		8 GB Dual-chan	nel DDR4-2666				
Storage	M.2 22x42/80 slot, 2.5" 7mm SATA drive bay	M.2 22x42/80 slot	256 GB NVMe SSD, 1 TB SATA3 HDD	16 GB Intel® Optane™ Memory, 1 TB SATA3 HDD	256 GB NVMe SSD	256 GB NVMe SSD, 1 TB SATA3 HDD	256 GB NVMe SSD			
Other Features & Technology	Intel		0a, Thunderbolt™ 3, Front L 5, Intel® Gigabit LAN, SDXC (ranty			
Geo-Specific Power Cord	US, EU, UK, AU, CN or No Cord Option	US, EU	US	US, EU, UK, AU, or No Cord Option	EU	C	N			
Operating System	Not Inc	cluded		Windows® 10 Home		Not In	cluded			
What's Needed	Memory, Storage, See page 6		_	_	_	Operating System				

Built with 10th generation Intel® Core™ i5 processors



CORE 15	Ki	ts			Mini	i PCs			
10TH GEN	NUC10i5FNH	NUC10i5FNK	NUC10i5FNHJ	NUC10i5FNHJA	NUC10i5FNHCA	NUC10i5FNKPA	NUC10i5FNHF	NUC10i5FNKP	
Processor					ore™ i5-10210U Process ore, 8 thread, 6 MB Cach				
Graphics				Intel® UHD Graphics	s, 300 MHz – 1.1 GHz				
Memory	Dual-channel DD	R4 SODIMM slots		8 GB Dual-char	nnel DDR4-2666		4 GB Dual-channel DDR4-2666	8 GB Dual-channel DDR4-2666	
Storage	M.2 22x42/80 slot, 2.5" 7mm SATA drive bay	M.2 22x42/80 slot	'	otane™ Memory, TA3 HDD	256 GB NVMe SSD, 1 TB SATA3 HDD	256 GB NVMe SSD	16 GB Intel® Optane™ Memory, 1 TB SATA3 HDD	256 GB NVMe SSD	
Other Features & Technology	Ir				Type-C Port (fast chargi sumer Infrared Sensor,			ty	
Geo-Specific Power Cord	US, EU, UK, AU, CN or No Cord Option	US, EU, UK, AU, or No Cord Option	Not Included	US, EU, UK, AU, or No Cord Option	US	EU, UK		î N	
Operating System	Not Inc	cluded	Not Included		Windows® 10 Home		Not Included		
What's Needed	Memory, Storage, See page 6		Operating System, Power Cord		_	Operating System			

Built with 10th generation Intel® Core™ i3 processors



CORE i3	Kit	:S	Mini PCs							
10TH GEN	NUC10i3FNH	NUC10i3FNK	NUC10i3FNHJA	NUC10i3FNHFA	NUC10i3FNHF					
Processor			n Generation Intel® Core™ i3-10110U Proce - 4.1 GHz Turbo, 2 core, 4 thread, 4 MB Ca							
Graphics			Intel® UHD Graphics, 300 MHz – 1.0 GHz							
Memory	Dual-channel DDR	4 SODIMM slots	8 GB Dual-channel DDR4-2666 4 GB Dual-channel DDR4-2666							
Storage	M.2 22x42/80 slot, 2.5" 7mm SATA drive bay	M.2 22x42/80 slot	16 GB Intel® Optane™ Memory, 1 TB SATA3 HDD							
Other Features & Technology	Intel® WiFi 6 and		Front USB 3.1 Gen2 Type-C Port (fast cha SDXC Card Slot, Consumer Infrared Senso		Limited Warranty					
Geo-Specific Power Cord	US, EU, UK, AU, CN or No Cord Option	EU, UK, AU, or No Cord Option	US	US EU, UK, AU, or No Cord Option						
Operating System	Not Incl	luded	Windows® 1	Not Included						
What's Needed	Memory, Storage, C See page 6		_	Operating System						

Additional Technical Specifications

Processors

NUC10i7FN

• Intel® Core™ i7-10710U (1.1 GHz – 4.7 GHz Turbo, 6 core, 12 thread, 12 MB Cache, 25W)

NUC10i5FN

 Intel® Core™ i5-10210U (1.6 GHz – 4.2 GHz Turbo, 4 core, 8 thread, 6 MB Cache, 25W)

NUC10i3FN

 Intel® Core™ i3-10110U (2.1 GHz – 4.1 GHz Turbo, 2 core, 4 thread, 4 MB Cache, 25W)

Storage Capabilities

NUC10i7FNK, NUC10i5FNK, & NUC10i3FNK

- M.2 22x42/80 key M slot for PCle* x4 Gen3 NVMe/AHCl or SATA3 SSD
- Full-size SDXC UHS-II slot

NUC10i7FNH, NUC10i5FNH, & NUC10i3FNH

- M.2 22x42/80 key M slot for PCIe x4 Gen3 NVMe/AHCI or SATA3 SSD
- SATA3 SSD, 2.5" 7mm SATA3 bay and port
- Full-size SDXC UHS-II slot

System Memory

• Two DDR4 SODIMM sockets (Dual channel DDR4-2666 SODIMMs, 1.2V, 64 GB max)

Connectivity

- HDMI* 2.0a port
- Thunderbolt[™] 3 port
- Intel® WiFi 6 AX200 2x2
- Bluetooth* v5
- Front: USB 3.1 Gen2 Type-C port with 5V/9V fast phone charging profile
- Front: USB 3.1 Gen2 Type-A port
- Back: Two USB 3.1 Gen2 ports
- Intel® i219-V 10/100/1000 Mbps Ethernet

System BIOS

- 256 Mb Flash EEPROM with Intel® Platform Innovation Framework for EFI Plug and Play
- Advanced configuration and power interface V5.0b, SMBIOS2.5
- Intel® BIOS
- Intel® Express BIOS update support

Hardware Management Features

- Voltage and temperature sensing
- ACPI-compliant power management control

Expansion Capabilities

2x internal USB 2.0 headers

Audio

- Up to 7.1 multichannel digital audio via HDMI* or Thunderbolt 3
- 3.5 mm stereo headset jack
- Beam-forming, far-field, quad-mic array

Chassis Size

Tall "H" Chassis

- 4.60" x 4.40" x 2.00'
- 117 mm x 112 mm x 51 mm

Slim "K" Chassis

- 4.60" x 4.40" x 1.50"
- 117 mm x 112 mm x 38 mm

Power Requirements

 19Vpc 120W (NUC10i7FN models only), or 90W power supply, with geo-specific AC cords

Environment Operating Temperature

• 0° C to +35 C

Storage Temperature

• -20° C to +40° C

Safety Regulations and Standards

- IEC/EN/UL 60950-1
- IEC/EN/UL 62368-1

EMC/RF Regulations and Standards

- FCC Part 15B/15C/15E
- CISPR/EN 55032/55024
- ICES-003
- VCCI 32
- BSMI CNS 13438
- KN 32/35
- AS/NZS CISPR 32
- EN 300 328
- EN 301 893
- EN 300 440
- EN 301 489-1/3/17
- EN 62311
- AS/NZS 4268
- AS/NZS 2772.2
- ARPANSA

Environmental Regulations

- EU RoHS
- China RoHS
- Taiwan BSMI RoHS
- REACH

The Power of Small www.intel.com/NUC

Over 2X Better Performance Vs. 5yo Laptop as measured by SYSmark* 2018 Overall Score. Intel Preproduction Processor: Intel® Core™ i7 -10710U processor (CML-U 6+2) PL1=25W, 6C12T, Turbo up to 4,7GHz, Memory: 2x16GB DDR4-2667 2Rx8, Storage: Intel® 760p M.2 PC16* NVMe* SSD with AHCI Microsoft driver*, Display Resolution: 3840x2160 eDP Panel 12.5*, OS: Windows* 10 19H1-18362.ent.rx64-Appx59. Power policy set to AC/Balanced mode for all benchmarks except SYSmark* 2014 SE which is measured in AC/BAPCo mode for Performance. Power policy set to DC/Balanced mode for power. All benchmarks run in Admin mode & Tamper Protection Disabled / Defender Disabled, Graphics driver: PROD-HC-RELEASES-GFX-DRIVER-CI-MASTER-2334-REVENUE-PR-1006952-WHQl.vs Processor: Intel® Core™ i7-5550U processor CPU @ 2.00GHz PL1=15W, Memory: 2 x 8 GB DDR3-1600, Storage: INTEL 545s 512GB SSDSC2KW512G8, Display Resolution: 1920 x 1080, OS: Microsoft Windows* 10 Enterprise 44.18362.1.0. Power policy set to AC/Balanced mode for all benchmarks except SYSmark* 2014 SE which is measured in AC/BAPCo mode for Performance. Power policy set to DC/Balanced mode for power with UX Slider set to Better Performance. All benchmarks run in Admin mode & Tamper Protection Disabled / Defender Disabled, Graphics driver: 20.19.15.5058.

² Nearly 3x Wireless Speeds: 802.11ax 2x2 160MHz enables 2402Mbps maximum theoretical data rates, ~3X (2.8X) faster than standard 802.11ac 2x2 80MHz (867Mbps) as documented in IEEE 802.11 wireless standard specifications and require the use of similarly configured 802.11ax wireless network routers.

38X more bandwidth with Thunderbolt 3™ than USB 3.0: Data transfer rates, different from total available bandwidth for data and display traffic, depend on system configuration. 8X improvement over USB 3.0 refers to total available bandwidth for data and display, not data transfer rates. Data transfer rates depend on system configuration.

Intel products are not intended for use in medical, life-saving, or life-sustaining applications. Intel may make changes to specifications and product descriptions at any time, without notice.

All products, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Availability in different channels may vary.

Actual Intel® NUC kit may differ from the image shown

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER, AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INTERNIGEMENT OF ANY PATENT. COPYRIGHT. OR OTHER INTELLECTUAL PROPERTY RIGHT.



⁴ USB-C to dual mini DisplayPort splitter required.